



HYDRAULIC PUMPS




Mini Portable Electric Hydraulic Pump QQ-700



Model	QQ-700
Pump System	Single Acting, Remote Control
Power	600watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.6-3.5 L/min
Oil Capacity	2.5 L
Recommended Oil Grade	Hydraulic Oil ISO 15-32 Antiwear
Retain Pressure	Yes
Unit Weight	14.36 kg
Packing Weight	15 kg
Packing Dimension	315x220x345 mm

Mini Portable Double Acting Electric Hydraulic Pump



Model	GYB-630D
Pump System	Double Acting, Remote Control
Power	600watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.6 L/min (700 Bar)
Oil Capacity	3.0 L
Recommended Oil Grade	Hydraulic Oil ISO 15-46 Antiwear
Retain Pressure	Yes
Includes	Hose 2M + Female Coupler 3/8" R2 x2 set
Unit Weight	12 kg
Packing Weight	21 kg
Packing Dimension	320x240x410 mm

Battery Powered Electric Hydraulic Pump GYB-63D



Model	GYB-63D
Pump System	Single Acting (One Way)
Working Pressure	700 Bar 10000 psi
Oil Capacity	2000 ml
Accessories	Battery 2 pcs Charger 1 pcs High Pressure Hose 1.8m 1 pcs Remote 1 pcs
Recommended Oil Grade	Hydraulic Oil ISO 32-46 Antiwear
Packing Dimension	270x260x450 mm
Packing Weight	21 kg





8L Manual Valve Single Hydraulic Electric Pump ZCB-700A

Model	ZCB-700A
Pump System	Single Acting, Valve System
Power	750watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.9 L/min @700 Bar
Oil Capacity	8 L
Recommended Oil Grade	Hydraulic Oil ISO 15-32 Antiwear
Retain Pressure	Yes
Packing Weight	28 kg
Packing Dimension	370x285x485 mm



8L Manual Valve Double Hydraulic Electric Pump GYB-630-2

Model	GYB-630-2
Pump System	Double Acting, Valve System
Power	750watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.7 L/min
Oil Capacity	8 L
Recommended Oil Grade	Hydraulic Oil ISO 15-32 Antiwear
Retain Pressure	Yes
Unit Weight	26 kg
Packing Weight	27 kg
Packing Dimension	370x290x530 mm



8L Solenoid Valve Single Hydraulic Electric Pump ZHH-700B

Model	ZHH-700B
Pump System	Single Acting, Solenoid System
Power	750watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.7 L/min
Oil Capacity	8 L
Recommended Oil Grade	Hydraulic Oil ISO 15-32 Antiwear
Retain Pressure	Yes
Packing Weight	25.9 kg
Packing Dimension	370x310x540 mm






HYDRAULIC PUMPS



Electric Hydraulic Pump MN-700B

- With Emergency Stop Button
- Wheeled Body for Easier Movement
- Side Pocket for storage
- Pendant Push Button
- Rigid Body
- Smoother Sound



Emergency Button



Model	MN-700B
Pump System	Single Acting, Solenoid System
Power	750watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.7 L/min
Oil Capacity	8 L
Recommended Oil Grade	Hydraulic Oil ISO 32-46 Antiwear
Retain Pressure	Yes
Features	Wheeled Body Emergency Stop f for Safety Pendant Remote
Packing Weight	43 kg
Packing Dimension	505x440x550 mm





8L Solenoid Valve Single Hydraulic Electric Pump MEN-218E

Model	MEN-218E
Pump System	Single Acting, Solenoid System
Features	Aluminium Body, Automatic Pressure Relief Valve
Power	750watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.7 L/min
Oil Capacity	8 L
Recommended Oil Grade	Hydraulic Oil ISO 15-32 Antiwear
Retain Pressure	Yes
Packing Weight	27 kg
Packing Dimension	485x320x540 mm



8L Solenoid Valve Double Hydraulic Electric Pump ZHH-700B-2

Model	ZHH-700B-2
Pump System	Double Acting, Solenoid System
Power	750watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.9 L/min
Oil Capacity	9L (Usable 8L)
Recommended Oil Grade	Hydraulic Oil ISO 15-32 Antiwear
Retain Pressure	No, Can Retain Pressure using hold valve
Unit Weight	30 kg
Packing Weight	33 kg
Packing Dimension	385x310x520 mm



Hydraulic Pump 3 Port Directional Valve

Model	ZCB-700D3
Pump System	Single Acting, Solenoid System
	3 Port Directional Valve
Power	750watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.9 L/min
Oil Capacity	9L (Usable 8L)
Unit Weight	33.3 kg
Packing Weight	35 kg
Packing Dimension	405x315x465 mm





Heavy Duty Portable Electric Pump QQ-700S

Model	QQ-700S
Pump System	Single Acting, Remote Control
Power	1400watt 220v (1 Phase)
Working Pressure	700Bar 10000psi
Flow Rate	0.7-5.0 L/min
Oil Capacity	3.8 L
Recommended Oil Grade	Hydraulic Oil ISO 15-32 Antiwear
Retain Pressure	Yes
Unit Weight	14.36 kg
Packing Weight	20 kg
Packing Dimension	340x235x400 mm



10L Single Acting Hydraulic Pump

Model	ZHH-700B-10L
Pump System	Single Acting, Solenoid System
Power	1500watt 220v (1ph) / 380v (3ph)
Working Pressure	700Bar 10000psi
Flow Rate	1.7 L/min
Oil Capacity	12 L
Recommended Oil Grade	Hydraulic Oil ISO 15-32 Antiwear
Retain Pressure	Yes
Unit Weight	37 kg
Packing Weight	42 kg
Packing Dimension	415x290x570 mm



10L Double Acting Hydraulic Pump

Model	DB150-D2
Pump System	Double Acting, Solenoid System
Power	1500watt 220v (1ph) / 380v (3ph)
Working Pressure	700Bar 10000psi
Flow Rate	1.7 L/min
Oil Capacity	12 L
Unit Weight	40.2 kg
Packing Weight	43 kg
Packing Dimension	415x290x570 mm

